

DSAdmin 7.6.32.9203 Logged into 192.168.5.26 as admin Database Version 7.7.0.0

File Help

Axis 211 Fixed

Folder Items

- Network Storage
- Storage Options
- Throttle Exempt Addresses
- User Administration
- VAU(s)
- Zones
- 192.168.5.26
 - Camera Groups
 - Cameras
 - ACT11
 - ACT12
 - Axis 211 Fixed**
 - Axis 213 PTZ
 - D5118-ACRQK51
 - D5220-ACS9113
 - D5230-ADHMXY4
 - Esprit - TXB-N-ACXYUJ
 - Exsite TXB-N-ABUHVZ
 - IDE10DN-AAZVUD0
 - IDS0DN-ABCGBV3
 - IES0C-ABHYBL3
 - IL10-C480019
 - IM10DN10-1E-ABKPR0
 - IME319-PickASerialNui
 - IMS0C10-1E-ABLCRZE
 - IP Camera - D5230-AD
 - IP Camera - IMS0DN1C
 - IP Camera - I10DN-A4
 - IP Camera SpectralVIF
 - IP Camera SpectraMini
 - IP Camera-IBP519-ER-
 - IP Camera-IMP219-1-T
 - ONVIF1
 - ONVIF10
 - ONVIF11
 - ONVIF12
 - ONVIF13

General | On Screen Display | Time-lapse Storage | Event Storage | PTZ | Recording

General

Edit IP Camera Settings

Associated Audio Channel: None

Covert Camera

Maximum Video Buffer: 8 seconds

Microsoft Internet Explorer must be the default browser in order to configure IP cameras for DigitalSENTRY.

IP Camera Configuration Web Page

Frame Rate

Fast	per Minute	1800
	per Second	30.00
Medium	per Minute	225
	per Second	3.75
Slow	per Minute	112
	per Second	1.87

Progressive Scan Enable Analytics

Motion Detection

None

Use Server Side (CPU Intensive)

In-Camera (Recommended)

CameraPort Name: 1FS4CAM25

Camera Name: Axis 211 Fixed

Description:

Connected To: VAU

PC-ADNGKE0

BRD 4

Input # on the VAU (1-128): 25

Input #: 121

Save Cancel

9/26/2014 11:01 AM

IP Camera

Axis

This IP camera has been assigned input 25 on board number 4.

Change Assigned Input

Camera Name

Axis 211 Fixed

Frame Rate (Images Per Minute)

1800

30.00 image(s) per second

Resolution

Custom

Width

640

Height

480

Active

RTSP Tunneling

Stream Number

1

Quality: 80

Compression Type

MPEG4

Audio Configuration

Record Audio

Audio Port Number

9814

IP Configuration

TCP/IP Address

192.168.5.218

Port Number

80

RTP Port Number

5814

Input on IP Device

1

User Name:

root

Password:

xxxx

Microsoft Internet Explorer must be the default browser in order to configure IP cameras for DigitalSENTRY.

Re-Type Password

xxxx

IP Camera Configuration Web Page

Cancel

OK

DSAdmin 7.6.32.9203 Logged into 192.168.5.26 as admin Database Version 7.7.0.0

File Help

Axis 211 Fixed

Folder Items

- Network Storage
- Storage Options
- Throttle Exempt Addresses
- User Administration
- VAU(s)
- Zones
- 192.168.5.26
 - Camera Groups
 - Cameras
 - ACT11
 - ACT12
 - Axis 211 Fixed**
 - Axis 213 PTZ
 - D5118-ACRQK51
 - D5220-ACS9113
 - D5230-ADHMXY4
 - Esprit - TXB-N-ACXYUL
 - Exsite TXB-N-ABUHVZ
 - IDE10DN-AAZVUD0
 - IDS0DN-ABCGBV3
 - IES0C-ABHYBL3
 - IL10-C480019
 - IM10DN10-1E-ABKPR0
 - IME319-PickASerialNui
 - IMS0C10-1E-ABLCRZE
 - IP Camera - D5230-AD
 - IP Camera - IMS0DN1C
 - IP Camera - Ix10DN-A4
 - IP Camera SpectralVIF
 - IP Camera SpectralMini
 - IP Camera-IBP519-ER-
 - IP Camera-IMP219-1-T
 - ONVIF1
 - ONVIF10
 - ONVIF11
 - ONVIF12
 - ONVIF13

General | On Screen Display | Time-lapse Storage | Event Storage | PTZ | Recording

Time-lapse Recording Storage Schedule

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23		
Sunday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Sunday
Monday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Monday
Tuesday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Tuesday
Wednesday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Wednesday
Thursday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Thursday
Friday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Friday
Saturday	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Saturday

Storage Rate


- Fast 1800 IPM (30.00 IPS)
- Slow 112 IPM (1.87 IPS)
- Medium 225 IPM (3.75 IPS)
- Clear

Clear Schedule

Full Week Slow

Save Cancel

9/26/2014 11:03 AM



DSAdmin 7.6.32.9203 Logged into 192.168.5.26 as admin Database Version 7.7.0.0

File Help

Axis 211 Fixed

Folder Items

- Network Storage
- Storage Options
- Throttle Exempt Addresses
- User Administration
- VAU(s)
- Zones
- 192.168.5.26
 - Camera Groups
 - Cameras
 - ACT11
 - ACT12
 - Axis 211 Fixed**
 - Axis 213 PTZ
 - D5118-ACRQK51
 - D5220-ACS9113
 - D5230-ADHMXY4
 - Esprit - TXB-N-ACXYUL
 - Exsite TXB-N-ABUHVZ
 - IDE10DN-AAZVUD0
 - IDS0DN-ABCGBV3
 - IES0C-ABHYBL3
 - IL10-C480019
 - IM10DN10-1E-ABKPP0
 - IME319-PickASerialNui
 - IMS0C10-1E-ABLCRZE
 - IP Camera - D5230-AD
 - IP Camera - IMS0DN1C
 - IP Camera - Ix10DN-A4
 - IP Camera SpectralVIF
 - IP Camera SpectralMini
 - IP Camera-IBP519-ER-
 - IP Camera-IMP219-1-T
 - QNVIF1
 - QNVIF10
 - QNVIF11
 - QNVIF12
 - QNVIF13

General | On Screen Display | Time-lapse Storage | Event Storage | PTZ | Recording

Section	Parameter	Value
Alarm Settings	Consecutive Motion Frames to trigger Alarm	3
	Consecutive Non-Motion Frames for Reset	3
Pre-Motion Recording	# Motion Frames to trigger recording	1
	Pre-Recording Seconds	0
Post-Motion Recording	# Non-Motion Frames to Stop Recording	1
	Post-Recording Seconds	0
Analytic Alarm Settings	Consecutive Analytic Frames to trigger Alarm	1
	Consecutive Non-Analytic Frames for Reset	1
Pre-Analytic Recording	# Analytic Frames to trigger recording	1
	Pre-Recording Seconds	0
Post-Analytic Recording	# Non-Analytic Frames to Stop Recording	1
	Post-Recording Seconds	0

Save Cancel

9/26/2014 11:04 AM